

**Legacy Quick Couplers**



**Legacy Brass Couplers give Premium Performance with Economy Price.** Legacy Quick Connect Couplings are machined from top grade materials to the same exacting specifications as the high cost performance leaders. We have gone a step further to ensure that Legacy Quick Couplers can withstand high temperature, high pressure and aggressive chemicals by including EPDM o-rings as standard.

**Compare the performance-Compare the price!**

- SS Band for increased durability (except 1/2 inch)
- 4000 PSI

Part No. MPT	Original No.	Part No. FPT	Original No.	Description
9.802-165.0	826170	9.802-164.0	331016V	1/4" Socket, Brass Coupler
9.802-169.0	2-2003	9.802-166.0	331021V	3/8" Socket, Brass Coupler
8.707-139.0	915786	8.707-136.0	331116V	1/4" Plugs, Steel, Zinc-plated
9.802-171.0	844806	9.802-170.0	331121V	3/8" Plugs, Steel, Zinc-plated
8.707-164.0		9.802-164.0	826169	1/2" Plugs, Steel, Zinc-plated
8.707-167.0	2-20181	8.709-455.0	331026V	1/2" Socket, Brass Coupler FPT

**Case pricing**

Case of 200 Part No. - MPT	Case of 200 Part No. - FPT	Description
8.916-542.0	8.916-538.0	1/4" Socket, Brass Coupler
8.916-541.0	8.916-537.0	3/8" Socket, Brass Coupler
8.916-540.0		1/4" Plugs, Stl, Zinc-plated
	8.916-361.0	1/4" Plugs, Stl, Zinc-plated
8.916-539.0		3/8" Plugs, Stl, Zinc-plated
	8.916-536.0	3/8" Plugs, Stl, Zinc-plated

**Stainless Steel Quick Couplers**



- Chemical resistant
- 303 stainless steel
- 5500 PSI

Part No. MPT	Original No.	Part No. FPT	Original No.	Description
8.707-110.0	826158	8.707-103.0	826157	1/4" Stainless Steel Couplers
8.707-135.0	826160	8.707-125.0	826159	3/8" Stainless Steel Couplers
8.707-140.0	915758	8.707-138.0	915757	1/4" Stainless Steel Nipples
8.707-152.0	915760	8.707-144.0	915759	3/8" Stainless Steel Nipples

**Parker Quick Couplers**



- Best name in the industry
- High quality brass construction
- 3500 PSI

**Parker Brass Couplers** are built to stringent standards to provide a durable, safe connection.

Part No.	Original No.	Description
8.707-102.0	844850	1/4" FNPT
8.707-096.0	844852	3/8" FNPT
8.707-108.0	826173	1/2" FNPT

Part No.	Original No.	Description
8.707-095.0	844851	1/4" MNPT
8.707-134.0	844853	3/8" MNPT



- Hardened steel
- Zinc plated
- The industry leader
- 3500 PSI

**Parker Steel Quick Coupler Plugs**, are hardened and zinc-plated to provide superior durability.

Part No.	Original No.	Description
8.707-099.0	844856	1/4" FNPT
8.707-156.0	844858	3/8" FNPT
8.707-158.0	915783	1/2" FNPT

Part No.	Original No.	Description
8.707-142.0	844857	1/4" MNPT
8.707-157.0	844859	3/8" MNPT
8.707-160.0	915186	1/2" MNPT



- Corrosion resistant
- Chemical resistant
- 5500 PSI max

**Parker Stainless Steel Quick Couplers**, are corrosion resistant.

Part No.	Original No.	Description
8.707-106.0	826171	1/4" FNPT
8.707-107.0	826172	1/2" FNPT

Part No.	Original No.	Description
8.707-122.0	826183	3/8" MNPT



- Chemical resistant
- 5500 PSI max

**Parker Stainless Steel Quick Plugs**, have higher working pressure than hardened steel.

Part No.	Original No.	Description
8.707-161.0	915777	1/4" FNPT
8.711-140.0	915780	3/8" FNPT
8.707-162.0	915784	1/2" FNPT

Part No.	Original No.	Description
8.707-141.0	915638	3/8" MNPT

## Hansen Quick Connective Couplers



Built by the company that invented Quick Connective Couplers in 1915. Designed and built to perform even in the toughest pressure washing applications.



- Precision performance
- Unrestricted bore for free flow
- Resists plug deformation when pressure spikes occur and withstands pump pulse

### Pressure Rating Service

Series	W/Steel Plug PSI	W/Brass Plug PSI	W/Stainless Steel PSI
1/8"	2,600	2,500	4,200
1/4"	5,500	5,200	6,700
3/8"	3,500	2,700	5,500
1/2"	2,700	2,200	3,000
3/4"	1,700	1,700	1,700

Part No. - MPT	Orig. No.	Part No. - FPT	Orig. No.	Description
<b>8.709-436.0</b>	<b>331010</b>	<b>8.709-437.0</b>	<b>331011</b>	1/8" Brass Coupler Socket
<b>8.709-440.0</b>	<b>331015</b>	<b>8.709-442.0</b>	<b>331016</b>	1/4" Brass Coupler Socket
<b>8.709-447.0</b>	<b>331020</b>	<b>8.709-449.0</b>	<b>331021</b>	3/8" Brass Coupler Socket
<b>8.709-453.0</b>	<b>331025</b>	<b>8.709-454.0</b>	<b>331026</b>	1/2" Brass Coupler Socket
<b>8.709-463.0</b>	<b>331045</b>	<b>8.709-462.0</b>	<b>331044</b>	3/4" Brass Coupler Socket
<b>8.709-438.0</b>	<b>331012</b>			1/8" SS Coupler Socket
		<b>8.709-444.0</b>	<b>331017</b>	1/4" SS Coupler Socket
		<b>8.709-564.0</b>	<b>331413</b>	3/8" SS Coupler Socket
		<b>8.709-457.0</b>	<b>331031</b>	1/2" SS Coupler Socket
<b>8.709-478.0</b>	<b>331110</b>	<b>8.709-479.0</b>	<b>331111</b>	1/8" Plugs, Steel, Zinc-plated
<b>8.709-483.0</b>	<b>331115</b>			1/4" Plugs, Steel, Zinc-plated
		<b>8.709-484.0</b>	<b>331116</b>	1/4" Plugs, Steel, Zinc-plated
<b>8.709-490.0</b>	<b>331120</b>			3/8" Plugs, Steel, Zinc-plated
		<b>8.709-492.0</b>	<b>331121</b>	3/8" Plugs, Steel, Zinc-plated
<b>8.709-499.0</b>	<b>331125</b>			1/2" Plugs, Steel, Zinc-plated
		<b>8.709-500.0</b>	<b>331126</b>	1/2" Plugs, Steel, Zinc-plated
<b>8.709-502.0</b>	<b>331127</b>			3/4" Plugs, Steel, Zinc-plated
		<b>8.709-509.0</b>	<b>331144</b>	3/4" Plugs, Steel, Zinc-plated
<b>8.709-486.0</b>	<b>331117</b>			1/4" Plugs, Hardened SS
		<b>8.709-488.0</b>	<b>331118</b>	1/4" Plugs, Hardened SS
<b>8.709-494.0</b>	<b>331122</b>			3/8" Plugs, Hardened SS
		<b>8.709-496.0</b>	<b>331123</b>	3/8" Plugs, Hardened SS
<b>8.709-480.0</b>	<b>331112</b>			1/2" Plugs, Hardened SS
		<b>8.709-481.0</b>	<b>331113</b>	1/2" Plugs, Hardened SS

## O-Rings

O-Rings for AP, Hansen, Foster, Parker, and other quick-coupler brands. Buna to 210°F, EPDM to 280°F and Viton to 300°F and aggressive chemicals.



### QC EPDM

Part No.	Orig. No.	Size
<b>8.900-026.0</b>	<b>075033</b>	1/8"
<b>9.802-098.0</b>	<b>075035</b>	1/4"
<b>8.900-029.0</b>	<b>075037</b>	3/8"

### QC Buna

Part No.	Orig. No.	Size
<b>8.900-027.0</b>	<b>075034</b>	1/4"
<b>8.900-030.0</b>	<b>075038</b>	1/2"

### QC Viton

Part No.	Orig. No.	Size
<b>8.702-084.0</b>	<b>075042</b>	1/4"
<b>8.702-088.0</b>	<b>075041</b>	3/8"
<b>8.900-032.0</b>	<b>075040</b>	1/2"



## HOTSY Twist Quick Couplers



- Precision brass design
- Unrestricted free flow
- 4000 PSI max

**Swivels**, designed for 4000 PSI and extended durability. Affordable and rugged all in one.

Part No.	Original No.	Description
8.717-562.0	826301	1/4" FNPT
8.707-189.0	826300	3/8" FNPT
8.717-568.0	826304	1/2" FNPT

Part No.	Original No.	Description
8.717-561.0	826303	1/4" MNPT
8.717-560.0	826302	3/8" MNPT
8.717-567.0	826305	1/2" MNPT



- Zinc plated
- Hardened steel
- 4000 PSI max

**Zinc Plated Nipples**, hardened steel combined with zinc yellow chromate plating holds up to the harshest environments.

Part No.	Original No.	Description
8.717-564.0	826291	1/4" FNPT
8.707-187.0	826290	3/8" FNPT
8.717-566.0	826294	1/2" FNPT

Part No.	Original No.	Description
8.717-563.0	826293	1/4" MNPT
8.707-188.0	826292	3/8" MNPT
8.717-565.0	826295	1/2" MNPT

**Replacement O-rings**, for HOTSY twist coupler, Buna-n.

Part No.	Original No.	Description
8.717-230.0	926660	Replacement O-ring

## Two-Gun Tee Coupler



**Two-Gun Tee Coupler** makes switching from one gun to two a snap. 3/8" quick coupler fittings good up to 4000 PSI.



- For use with dual gun systems
- Couples onto outlet nipple
- 3/8" couplers

Part No.	Original No.	Description
8.902-421.0	2-2014	Two Gun Splitter

## Spring Clamps

Spring tension, speed mount clamps



Part No.	Original No.	Description
9.802-210.0	823988	Spring Clamps - .46 - .54
8.709-116.0	823989	Spring Clamps - .40 - .48

## Hose Clamps

**Warning:** Low pressure use only! Not for use on pressure washer discharge hose.



- Stainless steel band and housing
- Worm gear tensions



- Nylon "Speedi-Clamp" tightens with a snap
- Releases with a twist

Part No.	Original No.	Band	OD	Min - Max
9.802-200.0	823911	4mm	5/16"	.25 - .63
9.802-201.0	823938	5mm	5/16"	.38 - .88
9.803-559.0	631009	10mm	5/16"	.50 - 1.06
8.710-458.0	358015	H8	1/2"	.44 - .91
8.710-459.0	358018	H10	1/2"	.56 - 1.06
8.710-460.0	358019	H12	1/2"	.69 - 1.25
8.709-119.0	823935	H16	1/2"	.75 - 1.50
8.710-463.0	358022	H24	1/2"	1.06 - 2.00
8.710-464.0	358024	H32	1/2"	1.56 - 2.50

8.904-167.0*	358001X	1/4" ID Speedi-Clamps
8.904-168.0*	358004X	3/8" ID Speedi-Clamps
8.904-169.0*	358006X	1/2" ID Speedi-Clamps

\*50 Pack

## Twist Seal Couplers

Allows U.S. Standard Hoses to Connect to European (22mm) Fittings.

- Internal O-ring seal
- Machined brass body
- High-impact plastic knob
- 7.8 GPM
- 3600 PSI
- 302°F



Part No.	Original No.	Description
8.709-522.0	331205	1/4" FPT
8.709-530.0	331207	3/8" FPT
9.802-173.0	331204	1/4" MPT
8.709-526.0	331206	3/8" MPT

Plugs are made of heavy-duty machined brass for a safe and leak free connection.



Part No.	Original No.	Description
8.709-540.0	331305	1/4" FPT
8.709-546.0	331307	3/8" FPT
8.709-536.0	331304	1/4" MPT
8.707-185.0	331306	3/8" MPT

O-rings, viton

Part No.	Original No.	Description
8.704-036.0	109286	O-rings (Viton)

## Double Quality Twist Seal Couplers



Couples U.S. Standard Pipe Threads to 22mm European Fittings Found on Imported Pressure Washer.

- Internal O-ring with back ring seal assures no-leak operation
- Oversized high-impact plastic knob
- Machined brass body
- 7.8 GPM
- 4000
- 302°F
- 3.9 to 4.2 oz weight



Sockets

Part No.	Original No.	Description
8.709-524.0	331205PA	1/4" FPT
8.709-531.0	331207PA	3/8" FPT
8.709-534.0	331209PA	1/2" FPT



Plugs

8.709-521.0	331204PA	1/4" MPT
8.709-528.0	331206PA	3/8" MPT
8.709-533.0	331208PA	1/2" MPT



O-rings

Part No.	Original No.	Description
8.709-542.0	331305PA	1/4" FPT
8.709-548.0	331307PA	3/8" FPT
8.709-553.0	331309PA	1/2" FPT
8.709-539.0	331304PA	1/4" MPT
8.709-545.0	331306PA	3/8" MPT
8.709-551.0	331308PA	1/2" MPT

Part No.	Original No.	Description
8.704-036.0	109286	O-rings (Viton)
8.704-037.0	109287	Back Ring

## 11,000 PSI Quick Couplers

Snaprite Quick Sockets and Plugs are precision built for extreme high pressure.

- 11,000 PSI
- -40°F to 250°F
- Zinc Chromate



Part No.	Original No.	Description
8.707-115.0	2-20023	1/4" FPT Socket
8.707-116.0	2-200231	1/4" MPT Socket
9.802-167.0	2-20021	3/8" FPT Socket
8.707-117.0	2-20024	1/4" FPT Plug
8.707-121.0	2-20028	1/4" MPT Plug
9.802-168.0	2-20022	3/8" FPT Plug
8.707-120.0	2-20027	3/8" MPT Plug
9.804-043.0	2-0132	1/4" Replacement O-Ring
8.706-712.0	2-01321	3/8" Replacement O-Ring

## Double Shut-Off Couplers & Plugs



331501 331401

- Quick disconnect without drips and leaks
- Indispensable for in-plant multiple station systems
- Machined construction brass, zinc plated steel or stainless steel

Part No.	Original No.	Description	PSI
8.709-556.0	331401	1/8" FPT Socket (Brass)	3000
8.709-557.0	331405	1/4" FPT Socket (Brass)	2700
8.709-558.0	331406	3/8" FPT Socket (Stl Zinc)	3700
8.709-559.0	331407	3/8" FPT Socket (Brass)	2200
8.709-560.0	331408	1/2" FPT Socket (Brass)	2250
8.709-561.0	331409	1/2" FPT Socket (SS)	4250
8.709-562.0	331410	3/4" FPT Socket (Brass)	2000
8.709-580.0	331501	1/8" FPT Plugs (Brass)	3000
8.709-581.0	331505	1/4" FPT Plugs (Brass)	2700
8.709-583.0	331507	3/8" FPT Plugs (Brass)	2200
8.709-584.0	331508	1/2" FPT Plugs (Brass)	2250



- Nitrile up to 210°F
- Use Viton for 230°F and above

Replacement O-rings

8.701-994.0	ORN013	O-ring 1/8" Nitrile
8.702-015.0	ORN110	O-ring 1/4" Nitrile
8.702-017.0	ORN112	O-ring 3/8" Nitrile
8.702-021.0	ORN114	O-ring 1/2" Nitrile
8.702-084.0	ORV110	O-ring 1/4" Viton
8.702-088.0	ORV112	O-ring 3/8" Viton
8.702-090.0	ORV114	O-ring 1/2" Viton
8.702-023.0	ORN115	O-ring 3/32" Nitrile (for kit 1)

**90° Swivels**



Excellent for Carwash Booms and Hose Reels. Remarkable value, comparable to best swivels made.

- Forged Brass Body
- 4000 PSI
- 225°F
- Nitrile O-Ring

Part No.	Original No.	Description
8.712-460.0	421043	3/8" M x 3/8" F
8.712-461.0	421044	3/8" F x 3/8" F
8.712-462.0	421045	1/2" M x 1/2" F
8.712-463.0	421046	1/2" F x 1/2" F
8.712-464.0	421047	1/2" M x 3/8" F
8.712-469.0	421063	3/8" F x 3/4" M w/ 3/8" inside thread
8.900-855.0	110025	Repair Kit

**Swivels - Right Angle**



- 360° swivel rotation
- 3000 PSI max pressure - Brass
- 5000 PSI max pressure - SS

Part No.	Orig. No.	Description
8.712-448.0	421018	Swivel - Stainless Steel 3/8"
8.712-450.0	421020	Swivel - Brass 3/8"
8.712-449.0	421019	Swivel - Brass 1/2"
8.700-287.0	075130	Repair Kit - 3/8" for 421018 & 421020
8.700-285.0	075128	Repair Kit - 1/2" for 421019

**Stainless Steel High Pressure & Economy Brass Swivels**



- 10.5 GPM max flow (SS)
- 7.8 GPM max flow (brass)
- 320°F max temp (SS)
- 195°F max temp (brass)
- Highly resistant to harsh chemicals
- "Live" swivel at full pressure
- 6 oz weight

Part No.	Orig. No.	Description	PSI
8.712-456.0	876048	Swivel, SS - 1/4" M x F	5600
8.712-455.0	875455	Swivel, SS - 3/8" M x F	5600
8.712-443.0	421009	Swivel, Brass - 3/8" M x F	3600
8.704-096.0	109542	Repair Kit for 8.712-456.0 & 8.712-455.0	

**Gun Swivel**



Made of corrosion-resistant material and stainless steel self-lubricated bearings the new gun swivel offers highest quality Swiss made craftsmanship.



- 4000 PSI
- 250°F temperature
- 30 RPM

Part No.	Original No.	Description
8.712-467.0	421057	Gun Swivel DGV - 1/4" NPTF
8.712-466.0	421056	Gun Swivel DVG - 3/8" NPTF

**Swivels**



- Swivels even at 3000 PSI
- Brass housing
- Stainless steel flow-through bolt
- Close tolerance fit assures leakproof seal
- Teflon® ring provides free swivel

Part No.	Original No.	Description
8.904-551.0	421010A	3/8" MPT x FPT*
8.904-552.0	421012A	3/8" FPT x FPT*
8.904-554.0	421015	3/8" FPT x FPT, Brass
8.900-764.0	109198	Seal Kit
8.900-765.0	109199	Rebuild Kit

\*Long body style

**Stainless Steel Swivels**



- Swivels even at 4000 PSI
- 200°F max temperature
- All stainless construction
- Teflon® swivel ring
- Rebuildable
- 3/8" in and out

Part No.	Original No.	Description
8.712-446.0	421016	3/8" MPT x FPT
8.712-447.0	421017	3/8" FPT x FPT
8.900-764.0	109198	Seal Kit
8.900-765.0	109199	Rebuild Kit

**Swivels - Ball Bearing**



Swivels freely even at maximum pressure level noted below.

- MPT x FPT all sizes
- Brass and Stainless Steel materials

Part No.	Original No.	Description	PSI
8.712-438.0	421004	1/4"	2000
8.712-439.0	421005	1/4"	3500
8.712-440.0	421006	3/8"	2000
8.712-441.0	421007	3/8"	3500
8.712-479.0	421080	1/4" 90°	3500
8.700-263.0	075060	Repair Kit	

**Swivels - Stainless Steel Ball Bearing**



- Hardened stainless steel body
- Nitrile Buna seals
- 3500 PSI max pressure
- 180°F max temperature
- M x F NPT thread
- Ball-bearing design ensures free swivel action under pressure
- Suitable for extended wear application

Part No.	Original No.	Description
8.712-457.0	421034	1/4", 6.8 GPM
8.700-460.0	076102	Repair Kit for 421034
8.712-458.0	421036	3/8", 10.6 GPM
8.700-459.0	076101	Repair Kit for 421036
8.712-459.0	875456	1/2", 27.0 GPM
8.700-461.0	076103	Repair Kit for 421038



# COUPLERS, FITTINGS & FILTERS

## Adapters - Brass



Part No.	Original No.	FPT x MPT
8.705-186.0	140651	1/8" x 1/8"
9.803-054.0	600196	1/4" x 1/8"
8.705-188.0	722812	1/4" x 1/4"
8.705-185.0	140650	3/8" x 1/8"
9.804-007.0	140654	3/8" x 1/4"
8.705-190.0	602060	3/8" x 3/8"
8.705-192.0	140657	1/2" x 1/4"
8.705-191.0	600076	1/2" x 3/8"
9.802-148.0	600198	1/2" x 1/2"
8.705-194.0	140660	3/4" x 1/2"
8.705-195.0	140662	3/4" x 3/4"

## Bushings - Brass



Part No.	Original No.	MPT X FPT
9.803-564.0	140402	1/4" x 1/8"
8.705-129.0	140404	3/8" x 1/4"
9.802-135.0	140406	1/2" x 1/4"
8.705-132.0	140407	1/2" x 3/8"
8.705-133.0	140410	3/4" x 3/8"
9.802-136.0	140411	3/4" x 1/2"

## Hex Couplings - Brass



Part No.	Original No.	FPT
8.705-150.0	722730	1/8"
8.705-151.0	722731	1/4"
8.705-152.0	722732	3/8"
8.705-153.0	722733	1/2"
8.705-154.0	140462	3/4"

## Reducing Hex Couplings - Brass



Part No.	Orig. No.	Description
8.705-155.0	140502	1/4" x 1/8" F
8.705-156.0	722736	3/8" x 1/4" F
8.705-157.0	140505	1/2" x 1/4" F
8.705-158.0	722738	1/2" x 3/8" F
8.705-159.0	722734	3/4" x 1/2" F

## Hex Double Nipples - Brass



Part No.	Orig. No.	Description
8.705-224.0	140752	1/8" x 1/8" M
9.802-108.0	722770	1/4" x 1/4" M
8.705-228.0	110131	3/8" x 3/8" M
9.803-989.0	898129	1/2" x 1/2" M
8.705-233.0	140762	3/4" x 3/4" M
8.705-234.0	140764	1" x 1" M

## Push-On - Brass Swivel



9.802-151.0

Part No.	Description
9.802-153.0	1/4" Barb x 1/4" JIC Fem
9.802-151.0	1/2" Barb x 1/2" JIC Fem
9.802-152.0	3/4" Barb x 3/4" JIC Fem

## Hex Reducing Nipples - Brass



Part No.	Orig. No.	MPT x MPT	Part No.	Orig. No.	MPT x MPT
8.705-225.0	722771	1/4" x 1/8"	8.705-229.0	140757	1/2" x 1/4"
8.705-223.0	140751	3/8" x 1/8"	9.803-276.0	722774	1/2" x 3/8"
8.705-227.0	722773	3/8" x 1/4"	9.803-556.0	877455	3/4" x 1/2"

## Nipples - Brass



Close Nipple



Part No.	Original No.	Description
8.705-201.0	140702	1/8" Close
8.705-204.0	140710	1/4" Close
8.705-211.0	897956	3/8" Close
9.802-109.0	897952	1/2" Close
8.705-220.0	140740	3/4" Close
8.705-202.0	140703	1/8" x 1-1/2"
8.705-203.0	140705	1/8" x 2-1/2"
8.705-205.0	140711	1/4" x 1-1/2"
8.705-206.0	140712	1/4" x 2"
8.705-207.0	698200	1/4" x 2-1/2"
8.705-212.0	140721	3/8" x 1-1/2"
8.705-213.0	140723	3/8" x 2-1/2"
8.705-214.0	898037	3/8" x 3"
8.705-217.0	140731	1/2" x 1-1/2"
8.705-218.0	140733	1/2" x 3"
8.705-221.0	140742	3/4" x 2"
8.705-222.0	140744	3/4" x 3"

## 90° Elbows - Brass



Part No.	Orig. No.	Description
8.705-160.0	140552	1/8" FPT
8.705-161.0	844619	1/4" FPT
9.802-113.0	844623	3/8" FPT
9.803-265.0	844629	1/2" FPT
8.705-164.0	140562	3/4" FPT
8.705-169.0	140584	1/4" x 1/4" MPT
8.705-171.0	140586	3/8" x 3/8" MPT
8.705-173.0	140588	1/2" x 1/2" MPT

## 90° Reducing Elbows - Brass



Part No.	Orig. No.	Description
8.705-165.0	661363	1/4" Fx1/8" F
8.705-166.0	140577	3/8" Fx1/4" F
8.705-168.0	140583	1/4"x1/8" MPT
8.705-167.0	140582	3/8"x1/8" MPT
8.705-170.0	140585	3/8"x1/4" MPT
8.705-172.0	140587	1/2"x3/8" MPT

## JIC x Pipe Nipples



Part No.	Size
8.706-265.0	1/2" JIC x 1/4" FPT
9.802-037.0	1/2" JIC x 3/8" FPT
9.802-036.0	1/2" JIC x 3/8" MPT
9.802-038.0	1/2" JIC x 1/2" MPT

**Street Elbows - Brass**



Part No.	Orig. No.	Description - 90°	Part No.	Orig. No.	Description - 45°
8.705-174.0	661403	1/8" M x F	8.705-180.0	140632	1/8" M x F
9.803-839.0	844778	1/4" M x F	8.705-181.0	722800	1/4" M x F
9.802-114.0	140606	3/8" M x F	8.705-182.0	722081	3/8" M x F
9.802-115.0	844758	1/2" M x F	8.705-183.0	722802	1/2" M x F
9.803-555.0	844760	3/4" M x F	8.705-184.0	140642	3/4" M x F

**Extruded or Forged Tees - Brass**



Part No.	Orig. No.	Description	Part No.	Orig. No.	Description
8.705-246.0	140852	1/8" F	9.802-117.0	140858	1/2" F
8.705-247.0	722792	1/4" F	8.705-251.0	140862	3/4" F
8.705-248.0		3/8" F			

**Male Branch Tees - Brass**



Part No.	Orig. No.	Description	Part No.	Orig. No.	Description
9.802-120.0	722804	1/4"	8.705-255.0	140879	1/2"
8.705-254.0	890789	3/8"			

**Street Tees - Brass**



Part No.	Orig. No.	Description	Part No.	Orig. No.	Description
9.802-121.0	722808	1/4"	9.802-122.0	954717	1/2"
8.705-257.0	110273	3/8"	8.705-259.0	140890	3/4"

**Female Crosses - Brass Extruded**



Part No.	Orig. No.	Description	Part No.	Orig. No.	Description
8.705-196.0	140664	1/4"	8.705-198.0	140668	1/2"
8.705-197.0	140666	3/8"	8.705-199.0	140672	3/4"

**Check Hose Barbs**



- 1/4" MPT X 1/4" barb
- Brass body
- Buna or Viton check ball

Part No.	Original No.	Description
8.904-389.0	385128	Check Hose Barb - Viton
8.904-390.0	385129	Check Hose Barb - Buna

**JIC Nipples - Brass**

Part No.	Description
8.706-872.0	1/2" JIC x 1/4" MPT
9.802-127.0	1/2" JIC x 3/8" MPT
9.802-128.0	1/2" JIC x 1/2" MPT
8.706-877.0	1/2" JIC x 3/4" MPT
8.706-894.0	1/2" JIC x 1/2" FPT
8.706-895.0	1/2" JIC x 3/8" FPT
8.706-896.0	1/2" JIC x 1/4" FPT
8.706-897.0	1/2" JIC x 3/4" FPT
8.706-899.0	3/4" JIC x 3/4" Pipe MPT
8.706-971.0	1/2" JIC x 3/4" GHF



9.802-128.0



8.706-894.0

**Hose Barbs - Brass**



90° Barb x MPT



Barb x MPT

Part No.	Original No.	Barb x MPT - 90°	<<PartNo>>
9.802-142.0	799489	1/4" x 1/8"	
9.802-143.0	799502	1/4" x 1/4"	
8.705-118.0	140371	3/8" x 1/4"	
8.705-119.0	140372	3/8" x 3/8"	
8.705-120.0	140374	3/8" x 1/2"	
8.705-121.0	140375	1/2" x 1/4"	
8.705-122.0	140376	1/2" x 3/8"	
8.705-123.0	140377	1/2" x 1/2"	
8.705-125.0	140379	5/8" x 3/8"	
8.705-126.0	140384	5/8" x 1/2"	
<b>Barb x MPT</b>			
8.705-097.0	140350	1/8" X 1/4"	
9.802-137.0	140352	1/4" X 1/8"	
9.802-138.0	698020	1/4" x 1/4"	
8.705-102.0	698023	1/4" x 3/8"	
8.705-108.0	140361	1/4" x 1/2"	
8.705-098.0	140351	3/8" x 1/8"	
8.705-104.0	698021	3/8" x 1/4"	
8.705-105.0	140358	3/8" x 3/8"	
8.705-103.0	140356	3/8" x 1/2"	
8.705-100.0	140353	3/8" x 3/4"	
8.705-110.0	140363	1/2" x 1/4"	
8.705-106.0	140359	1/2" x 3/8"	
8.705-109.0	140362	1/2" x 1/2"	
8.705-111.0	140364	1/2" x 3/4"	
8.705-107.0	140360	5/8" x 3/8"	
9.802-140.0	140365	5/8" x 1/2"	
8.705-113.0	140366	5/8" x 3/4"	
8.705-114.0	140367	3/4" x 1/2"	
8.705-115.0	140368	3/4" x 3/4"	

**Push-N-Lock Barbs**



- Normally requires no clamps

Part No.	Original No.	Barb x MPT
8.705-069.0	140252	1/4" x 1/8"
8.705-070.0	140254	1/4" x 1/4"
8.705-071.0	140255	1/4" x 3/8"
8.705-072.0	140256	3/8" x 1/8"
8.705-073.0	140257	3/8" x 1/4"
8.705-074.0	140258	3/8" x 3/8"
8.705-075.0	140259	3/8" x 1/2"
8.705-076.0	140260	3/8" x 3/4"
8.705-077.0	140261	1/2" x 1/4"
9.802-156.0	799976	1/2" x 3/8"
8.705-079.0	798977	1/2" x 1/2"
8.705-080.0	140264	1/2" x 3/4"
8.705-081.0	140265	5/8" x 3/8"
8.705-082.0	140266	5/8" x 1/2"
8.705-083.0	140267	5/8" x 3/4"
8.705-084.0	799413	3/4" x 1/2"
8.705-085.0		3/4" x 3/4"
<b>Barb x Barb</b>		
8.705-064.0	140200	1/4" x 1/4"
8.705-065.0	140204	3/8" x 3/8"
8.705-066.0	140208	1/2" x 1/2"
8.705-067.0	140210	5/8" x 5/8"
8.705-068.0	140212	3/4" x 3/4"



Barb x Barb

# COUPLERS, FITTINGS & FILTERS

## Swivel Hose Barbs - Low Pressure



- 300 PSI
- 210°F
- Brass MPT base with steel hose barb
- Swivel easily at low pressure to eliminate twists and tangles in chemical or water lines

Part No.	Original No.	Description
8.705-050.0	140079	1/4" x 1/4"
8.705-052.0	140081	3/8" x 3/8"
8.705-053.0	140083	1/2" x 1/2"

## Orificed Hose Barb



- Inexpensive way to create suction on inlet side of pump
- Used in-line from float tank to pump
- One-piece machined brass
- 3/8" MPT x 5/8" barb
- Standard orifice 5/32" - Drill up to 3/8" to fit your need

Part No.	Original No.	Description
8.705-093.0	140320	Orificed Hose Barb

## Drain Cocks



Part No.	Original No.	Description
8.705-060.0	140125	1/4" Fuel Drain w/Tee Handle
8.705-061.0	140127	1/4" Fuel Drain w/Barb & Tee Handle

## Hex Head Plugs



Part No.	Original No.	Description
8.705-236.0	140802	1/8"
8.705-238.0	140804	1/4"
8.705-240.0	140806	3/8"
9.803-673.0	140808	1/2"
8.705-244.0	140810	3/4"

## Hex Socket Head Plugs



Part No.	Original No.	Description
9.803-051.0	140802A	1/8"
9.802-124.0	140804A	1/4"
8.705-241.0	140806A	3/8"
8.705-243.0	140808A	1/2"

## Pipe Thread Hex Nuts



Part No.	Original No.	Description
8.705-041.0	140062	1/8"
8.705-042.0	140064	1/4"
8.705-043.0	140065	3/8"
8.705-044.0	140067	1/2"
8.705-045.0	140070	3/4"

## Garden Hose Fittings

- MGH = Male Garden Hose
- FGH = Female Garden Hose
- Heavy-duty Machined Brass Fittings



9.802-147.0



8.705-034.0



8.709-460.0



9.804-016.0



9.802-145.0



8.705-087.0

Part No.	Orig. No.	Description	<<PartNo>>
----------	-----------	-------------	------------

Swivel Fittings - 3/4" FGH			
8.705-032.0	140050	1/4" MPT	
8.901-292.0	140056	3/8" MPT	
8.901-291.0	140051	1/2" MPT	
8.705-033.0	140052	1/2" FPT (S-1)	
8.705-034.0	140054	3/4" FPT (S-2)	
8.705-035.0	140055	3/4" FGH (S-3)	
8.705-008.0	140002	1/2" BARB	
8.705-009.0	140004	5/8" BARB	
8.705-010.0	140006	3/4" BARB	

Garden Hose Quick Couplers			
8.709-460.0	331040	Female Hose Coupler	
8.709-508.0	331140	Male Hose Plug	

Garden Hose Accessories			
8.705-016.0	140020	Garden Hose Washer	
9.804-016.0	140015	Filter Screen Washer (30 mesh)	

Solid Fittings			
8.705-024.0	140036	3/4" MGH x 3/8" MPT	
9.802-145.0	140038	3/4" MGH x 1/2" MPT	
8.705-026.0	140040	3/4" MGH x 3/4" MPT	
8.705-019.0	140028	3/4" FGH x 1/2" FPT	
8.705-020.0	140030	3/4" FGH x 3/4" FPT	
8.705-022.0	140032	3/4" FGH x 1/2" MPT	
8.705-023.0	140034	3/4" FGH x 3/4" MPT	
8.705-018.0	140026	3/4"FGHx3/4"FGH(SS)	

Hose Barb Fittings			
8.705-086.0	140301	3/8" Barb x 3/4" MGH	
8.705-087.0	140303	1/2" Barb x 3/4" MGH	
8.705-088.0	140305	5/8" Barb x 3/4" MGH	
8.705-089.0	140307	3/4" Barb x 3/4" MGH	
8.705-091.0	140317	3/8" Barb x 3/4" FGH	
8.705-092.0	140319	1/2" Barb x 3/4" FGH	
8.705-094.0	140321	5/8" Barb x 3/4" FGH	
8.705-095.0	140323	3/4" Barb x 3/4" FGH	

## Hose Clamps

**Warning:** Low pressure use only! Not for use on pressure washer discharge hose.



- Stainless steel band & housing
- Worm gear tensions



- Nylon "Speedi-Clamp" tightens with a snap
- Releases with a twist

Part No.	Orig. No.	Band	OD	Min - Max
9.802-200.0	358010	4mm	5/16"	.25 - .63
8.710-456.0	358012	5mm	5/16"	.38 - .88
8.710-457.0	358013	10mm	5/16"	.50 - 1.06
8.710-458.0	358015	H8	1/2"	.44 - .91
8.710-459.0	358018	H10	1/2"	.56 - 1.06
8.710-460.0	358019	H12	1/2"	.69 - 1.25
8.710-461.0	358020	H16	1/2"	.75 - 1.50
8.710-463.0	358022	H24	1/2"	1.06 - 2.00
8.710-464.0	358024	H32	1/2"	1.56 - 2.50

8.904-167.0	358001X	1/4" ID Speedi-Clamp*		
8.904-168.0	358004X	3/8" ID Speedi-Clamp*		
8.904-169.0	358006X	1/2" ID Speedi-Clamp*		

\*50 Pack



## Zinc Plated Heavy Wall Steel Pipe Fittings

- Up to 6000 PSI working pressure (18000 PSI burst)
- Attractive zinc-plated protective coating
- US standard taper pipe threads

### Adapters



Part No.	Original No.	MPT x FPT	PSI
8.705-356.0	142404	1/4" x 1/4"	6000
8.705-357.0	142405	1/4" x 3/8"	6000
9.804-553.0	142406	3/8" x 3/8"	6000
8.705-359.0	142407	3/8" x 1/2"	5000
8.705-360.0	142408	1/2" x 1/2"	5000
8.705-361.0	142409	1/2" x 3/4"	4000
8.705-362.0	142412	3/4" x 3/4"	4000

### Coupling Hex



Part No.	Original No.	FPT x FPT	PSI
8.705-364.0	142415	1/4" x 1/4"	6000
8.705-366.0	142417	3/8" x 3/8"	6000
8.705-369.0	142420	1/2" x 1/2"	5000
8.705-371.0	142422	3/4" x 3/4"	5000
<b>Reducing Couplings</b>			
8.705-365.0	142416	3/8" x 1/4"	6000
8.705-367.0	626150	1/2" x 3/8"	5000
8.705-368.0	142419	1/2" x 1/4"	5000
8.705-370.0	626153	3/4" x 1/2"	4000

### Hex Nipple



Part No.	Original No.	MPT x MPT	PSI
9.802-010.0	801074	1/4" x 1/4"	6000
9.802-011.0	142427	3/8" x 3/8"	6000
9.802-012.0	142430	1/2" x 1/2"	6000
8.705-380.0	142434	3/4" x 3/4"	6000
9.802-022.0	142426	3/8" x 1/4"	6000
8.705-375.0	142428	1/2" x 1/4"	6000
8.705-376.0	142429	1/2" x 3/8"	6000
8.705-379.0	142431	3/4" x 1/2"	6000

### Street Elbow



Part No.	Original No.	MPT x FPT	Working Pressure
9.802-029.0	142438	1/4" x 1/4"	5000
9.804-080.0	142439	1/4" x 3/8"	4500
9.802-030.0	142440	3/8" x 3/8"	4500
8.705-384.0	142441	3/8" x 1/2"	3000
9.803-045.0	142442	1/2" x 1/2"	3000
8.705-386.0	142443	1/2" x 3/4"	3000
8.705-387.0	142444	3/4" x 3/4"	3000

### Street Tee



Part No.	Original No.	MPT x FPT x MPT	Working Pressure
8.705-428.0	142684	1/4"	5000
9.802-033.0	142685	3/8"	4500
9.802-034.0	142686	1/2"	3000
8.705-431.0	142687	3/4"	3000

### Elbow



Part No.	Original No.	FPT x FPT	Working Pressure
8.705-393.0	142504	1/4" x 1/4"	5000
8.705-394.0	142505	1/4" x 3/8"	4500
9.802-023.0	142506	3/8" x 3/8"	4500
8.705-396.0	142507	3/8" x 1/2"	3000
8.705-397.0	142508	1/2" x 1/2"	3000
8.705-398.0	142509	1/2" x 3/4"	4000
8.705-399.0	142512	3/4" x 3/4"	4000

### Tee - 3 Connects



Part No.	Original No.	FPT	Working Pressure
8.705-412.0	142654	1/4"	5000
8.705-414.0	142656	3/8"	4500
9.802-032.0	142658	1/2"	3000
8.705-417.0	142662	3/4"	3000

### Cross - 4 Connects



Part No.	Original No.	FPT	Working Pressure
8.705-418.0	142664	1/4"	5000
8.705-419.0	142666	3/8"	4500
8.705-420.0	142668	1/2"	3000
8.705-421.0	142672	3/4"	3000

### Reducing Bushing

Made of trivalent plated steel



Part No.	Original No.	MPT x FPT	Working Pressure
9.802-046.0	142676	3/8" x 1/4"	6000
8.705-423.0	142678	1/2" x 1/4"	6000
9.802-045.0	142680	1/2" x 3/8"	6000
8.705-426.0	142682	3/4" x 1/2"	6000

### Pipe Plugs - Hex



Part No.	Original No.	Description	Working Pressure
9.803-530.0	142701	1/4"	6000
8.705-433.0	142702	3/8"	6000
8.705-434.0	142703	1/2"	6000
8.705-435.0	142704	3/4"	6000

## Pipe Nipple - Zinc



Part No.	Orig. No.	Length x MPT	PSI
9.803-043.0	142800	2" x 1/4"	6000
8.705-441.0	142801	3" x 1/4"	6000
8.705-442.0	142802	4" x 1/4"	6000
8.705-443.0	142803	2" x 3/8"	6000
8.705-445.0	142804	3" x 3/8"	6000
8.705-445.0	142805	4" x 3/8"	6000
8.705-446.0	142806	2" x 1/2"	6000

Part No.	Orig. No.	Length x MPT	PSI
9.802-014.0	142807	3" x 1/2"	6000
9.802-015.0	142808	4" x 1/2"	6000
8.705-996.0	142808T	5" x 1/2"	6000
8.705-450.0	142810	2" x 3/4"	6000
8.705-451.0	142811	3" x 3/4"	6000
8.705-452.0	142812	4" x 3/4"	6000
8.705-453.0	142813	6" x 3/4"	6000

## Galvanized Pipe Fittings

- Pressed steel fittings - external galvanized for excellent chemical resistance
- Ideal for supply line (city water pressure) applications (working pressure rating 125 PSI)

*NOT recommended for high pressure piping applications*

## Pipe Street Elbows



Part No.	Original No.	MPT x FPT
8.705-407.0	142604	1/4"
8.705-408.0	142606	3/8"
8.705-409.0	142608	1/2"
8.705-410.0	142610	3/4"

## Pipe Tees



Part No.	Original No.	FPT x FPT x FPT
8.705-456.0	142854	1/4"
8.705-458.0	142856	3/8"
8.705-459.0	142858	1/2"
8.705-461.0	142868	3/4"

## Merchant Coupling



Part No.	Original No.	FPT x FPT
8.705-389.0	142454	1/4"
8.705-390.0	142456	3/8"
8.705-391.0	142458	1/2"

## Banded Coupling



Part No.	Original No.	FPT x FPT
8.705-436.0	142754	1/4"
8.705-437.0	142756	3/8"
8.705-438.0	142758	1/2"
8.705-439.0	142760	3/4"

## 90° Elbows



Part No.	Original No.	FPT x FPT
8.705-403.0	142552	1/4"
8.705-404.0	142556	3/8"
8.705-405.0	142558	1/2"
8.705-406.0	142560	3/4"

## "The Big One"

Larger, heavier, and with more filtering area than competitors' filters



- Corrosion-resistant plastic
- Stepped 1/4" & 3/8" hose barb
- Weighted to hold onto bottom of tank

Part No.	Original No.	Description
8.709-938.0	340025	With Check Valve
8.709-939.0	340026	Without Check Valve

## Brass Chemical Filter



50 mesh stainless steel screen. Removable mesh for easy cleaning. Heavy-duty one-piece brass body holds the filter on the bottom of tank.



- 1/4" hose barb
- Stainless steel check ball

Part No.	Original No.	Description
9.803-672.0	340010X	With Check Valve
8.709-934.0	340012X	Without Check Valve

## Plastic Chemical Strainer

Polypropylene and Brass Construction



- 7mm hose barb

Part No.	Orig. No.	Description
8.709-935.0	340014	w/ Check Valve
9.802-160.0	340015	w/o Check Valve

## Chemical Line w/ Filter



- 6 foot long, 1/4" clear vinyl tubing

Part No.	Original No.	Description
<b>Brass Filter</b>		
8.903-991.0	340022X	Chemical Line/ Filter w/ Check Valve
8.903-992.0	340023X	Chemical Line/ Filter w/o Check Valve
<b>Plastic Filter</b>		
8.903-993.0	340024X	Chemical Line/ Filter w/ Check Valve
8.903-996.0	340027X	Chemical Line/ Filter w/o Check Valve

## Green-Cap Inline Filter

The Original Green-Cap!



- 6 GPM max flow
- 40 mesh stainless screen
- Diecast metal housing/ plastic cap
- 1/2" FPT inlet
- 1/2" MPT outlet
- Two 1/4" side ports
- 145 PSI max pressure



Part No.	Original No.	Description
8.709-961.0	677018	Green Cap Filter
8.701-383.0	725869	Replacement Screen
8.701-382.0	725868	Replacement Cap
8.705-900.0	726178	O-Ring, Green Cap

## All Metal Inline Filter



- Die-cast aluminum body and cover
- Black anodized finish
- 38 mesh screen
- 170 PSI max pressure
- 195°F max temperature
- 6.6 GPM max flow
- 1/2" Female x Male



Part No.	Original No.	Description
8.709-976.0	342030	Black Anodized Finish
8.704-055.0	109343	Replacement Filter

## Heavy-Duty Inline Filters



- 1/2" Female x Male
- 50 mesh screen
- 8 GPM
- 145 PSI
- 140°F
- Unbreakable reinforced nylon cap



Part No.	Original No.	Description
8.709-974.0	342026	Filter
8.709-975.0	342027	With Auxiliary (bypass) Port
8.704-172.0	109941	Replacement Filter

## Clear Bowl Filters



- Low profile style
- MPT inlet & outlet
- White nylon body
- Clear bowl
- Stainless steel screen
- L 3", W 1-3/4", H 2-3/8"

Part No.	Original No.	Description
8.709-962.0	342012	1/4", 40 Mesh Screen
8.709-963.0	342013	1/4", 80 Mesh Screen
8.709-964.0	342014	3/8", 40 Mesh Screen
8.709-965.0	342015	3/8", 80 Mesh Screen
8.709-966.0	342016	1/2", 40 Mesh Screen
8.709-967.0	342017	1/2", 80 Mesh Screen
8.700-563.0	078214	80 Mesh Replacement Scrn
8.700-564.0	078215	40 Mesh Replacement Scrn

## Inline Can-Type Filters & Parts



- 40 or 80 mesh filtration
- Heavy-duty molded plastic with stainless steel screen
- Hanger tab standard on 3/8", 1/2" and 3/4"
- Choose black or clear filter cans

Part No.	Original No.	Description
<b>40 Mesh Filters</b>		
8.709-982.0	342105	Black, 3/8"
8.709-986.0	342110	Black, 1/2"
8.709-990.0	342115	Black, 3/4"
8.709-994.0	342120	Black, 1"
8.710-001.0	342150	Black, 1-1/4"
8.710-003.0	342155	Black, 1-1/2"
8.709-983.0	342106	Clear, 3/8"
8.709-987.0	342111	Clear, 1/2"
8.709-991.0	342116	Clear, 3/4"
8.709-996.0	342123	Clear, 1"
8.710-002.0	342151	Clear, 1-1/4"
8.710-004.0	342156	Clear, 1-1/2"

<b>80 Mesh Filters</b>		
8.709-988.0	342112	Black, 1/2"
8.709-992.0	342117	Black, 3/4"
8.709-995.0	342122	Black, 1"
8.710-005.0	342158	Black, 1-1/4"
8.709-999.0	342147	Black, 1-1/2"
8.709-989.0	342113	Clear, 1/2"
8.709-993.0	342118	Clear, 3/4"
8.709-997.0	342125	Clear, 1"
8.710-006.0	342159	Clear, 1-1/4"
8.710-000.0	342149	Clear, 1-1/2"

### Inline Can-Type Filter Parts - 3/8", 1/2", 3/4"

8.700-555.0	078202	Gasket
8.700-557.0	078204	Viton Gasket
8.700-559.0	078207	Bowl - Standard Black
8.700-560.0	078208	Bowl - Clear
8.700-565.0	078216	40 Mesh Screen
8.700-567.0	078220	80 Mesh Screen
8.932-949.0	078223	3/8" Top with Tab
8.700-569.0	078224	1/2" Top with Tab
8.700-570.0	078225	3/4" Top with Tab

### Inline Can-Type Filter Parts - 1", 1-1/4", 1-1/2"

8.700-556.0	078203	Gasket
8.700-558.0	078205	Viton Gasket
8.700-566.0	078217	40 Mesh Screen 1"
8.700-575.0	078233	40 Mesh Screen 1-1/4"
8.700-576.0	078234	40 Mesh Screen 1-1/2"
8.700-568.0	078221	80 Mesh Screen 1"
8.700-577.0	078237	80 Mesh Screen 1-1/4"
8.700-578.0	078238	80 Mesh Screen 1-1/2"
8.700-571.0	078226	1" Filter Top
8.700-572.0	078227	1-1/4" Filter Top
8.700-573.0	078230	Bowl Black - 1", 1-1/4", 1-1/2"
8.700-574.0	078231	Bowl Clear - 1", 1-1/4", 1-1/2"

# COUPLERS, FITTINGS & FILTERS

## Inline ClearView Filter



8.710-145.0

8.710-146.0

8.710-147.0

- Clear plastic cover
- Integrated garden hose connector
- 8 GPM, 150 PSI
- Strongest see-through filter on the market

Part No.	Original No.	Outlet	Inlet	Bypass
8.710-145.0	347091	3/8" MPT	3/4" GH	N/A
8.710-147.0	347093	3/8" MPT	3/4" GH	1/4"
8.710-144.0	347090	1/2" MPT	3/4" GH	N/A
8.710-146.0	347092	1/2" MPT	3/4" GH	1/4"

## Y-Trap Strainer



- Brass bodies & cap
- FPT inlet & outlet
- Stainless steel 50 mesh cylinder screen
- 170 PSI
- 194°F

Part No.	Original No.	Description
8.709-956.0	342004	1/4"
8.709-957.0	342006	3/8"
8.709-958.0	342007	1/2"
8.709-959.0	342008	3/4"
8.709-960.0	342009	1"

## Check / Foot Valve

Includes backflow check and perforated screen, prevents damage to pump or control valves.



- Removable stainless steel screen
- Spring-loaded check valve
- Cast brass bodies
- FPT outlet

Part No.	Original No.	Description
8.709-388.0	310882	1/2" Foot Valve/ Check & Screen
8.709-389.0	310883	3/4" Brass Spring Check Valve
8.709-390.0	310884	1" Brass Spring Check Valve
8.709-391.0	310886	1-1/2" Brass Spring Check Valve
8.709-392.0	310888	2" Brass Spring Check Valve

## ST35 / 35R Suction Foot Valve



- Stainless steel screen
- Combination 1/2" / 3/4" hose barb
- Weighted to hold at bottom of tank or source

Part No.	Original No.	Description
8.709-970.0	342021	With Check Valve
8.709-969.0	342020	Without Check Valve

## Tank Screen / Strainer



- Stainless steel screen – 40 or 50 mesh
- PVC base – attaches to nipple or tubing
- Use for tank drain or chemical line

Part No.	Original No.	Mesh	FPT
8.710-008.0	342304	50	1/4"
8.710-010.0	342306	50	3/8"
8.710-011.0	342307	40	1/2"
9.802-162.0	342308	50	1/2"
8.710-013.0	342311	40	3/4"
8.710-014.0	342312	50	3/4"
8.710-015.0	342316	40	1"
8.710-016.0	342320	40	1-1/2"

## Inline High Pressure Nozzle Filters

Protect your turbo nozzle from damage caused by debris in the water flow.



8.710-149.0



8.709-978.0



8.709-979.0

8.710-150.0

- 1/4" MPT outlet
- 300°F max
- 100 mesh screen
- 5000 PSI max

Part No.	Original No.	Material	Inlet	Outlet
8.709-978.0	342040	Brass	1/4" FPT	1/4" MPT
8.709-979.0	342042	Brass	1/4" QC	1/4" MPT
8.710-149.0	347097	416 SS	1/4" QC	1/4" MPT
8.710-150.0	347098	Brass	1/4" MPT	1/4" MPT
8.704-234.0	110595	Replacement filter for 342040/342042		
8.701-201.0	080115	Replacement filter for 347097/347098		

## High Volume Filter & Parts

Molded Plastic Housing



- 3/4" FPT inlet & outlet
- 125 PSI
- 12 GPM at 50 Micron
- 10 GPM at 5 or 20 Micron
- Clear-View sump
- 14-1/2" tall x 5-1/2" port to port

Part No.	Original No.	Description
8.710-017.0	342375	Housing Only
8.905-569.0	565375X	Mounting Bracket/Hardware
8.700-581.0	078280	Replacement O-Ring

- Pleated polyester/polypropylene core
- Recommended for large flow, low pressure applications (up to 60 PSI)



Part No.	Original No.	Description
<b>Ultra Fine Filter Elements</b>		
8.710-019.0	342380	5 Micron, 10 GPM
8.710-020.0	342382	20 Micron, 10 GPM
8.710-021.0	342384	50 Micron, 12 GPM

- Recommended for maximum filtration with reduced flow requirements (up to 130 PSI)



Part No.	Original No.	Description
<b>Synthetic String Wound Elements</b>		
8.710-022.0	342387	5 Micron, 4 GPM
8.710-023.0	342389	20 Micron, 5 GPM
8.710-024.0	342391	50 Micron, 6 GPM

**HOTSY Fuel Filter/  
Water Separator**



- Extends life of fuel system
- Clear sediment bowl and washable screen
- Drain valve
- Filters gasoline and diesel fuel

Part No.	Original No.	Description
8.717-710.0	851084	Filter, Fuel/ Oil Water Separator
8.717-711.0	875490	Replacement Screen

**Fuel Filter/Water Separator**



- 10 micron filtration
- Spin-on convenience
- Water separation chamber
- 1/4" FPT inlet/outlet
- Easy drain water/sediment bowl

Part No.	Description
8.725-306.0	Complete Unit
8.725-307.0	Element

**Fuel Filters**

Inline – disposable



8.709-942.0



8.709-150.0



9.802-211.0

Part No.	Original No.	Description
9.802-211.0	676969	1/4" In/Out, Plastic
8.709-943.0	341003	3/8" In/Out, Plastic
8.709-942.0	341002	1/4" In/Out, Metal

**Clear Bowl Fuel Filter**



- Aluminum Housing
- Non-replaceable
- 120 Mesh SS Screen
- 1/4" x 1/4"
- Clear Acrylic Bowl

Part No.	Original No.	Description
8.709-948.0	341013	Complete Unit

**Fuel Filter/Water Separator**



- 10 micron filtration
- Spin-on convenience
- Water separation chamber
- 1/4" FPT inlet/outlet
- Easy drain water/sediment bowl

Part No.	Description
8.749-771.0	Complete Unit
8.749-770.0	Element

**Racor Filter Funnel**



- 3.9 GPM
- Teflon Coated, Stainless Steel Filter
- Separates free water and contaminants from gasoline/diesel/kerosene

Part No.	Orig. No.	Description
8.709-955.0	341044	Filter Funnel

**Aquadene Water Treatment System**



8.709-425.0



8.709-426.0

- Reduces scale build-up
- Controls corrosion
- Clears up red water

Part No.	Original No.	Description
8.709-425.0	722452	Dispenser Housing without Cartridge
8.709-426.0	722453	Chem Cartridge, Treats 25,000 gal water